

MATERIAL SAFETY DATA SHEET

Sodium Hypochlorite 3-20%

Section 01 - Product And Company Information

Product Identifier Sodium Hypochlorite (3-20%)

Product Use Disinfectant, bleaching agent, source of available chlorine, deodorizer.

Supplier Name...... ClearTech Industries Inc. 1500 Quebec Avenue

Saskatoon, SK. Canada

S7K 1V7

Prepared By...... ClearTech Industries Inc. Technical Department

Phone: 800-387-7503

24-Hour Emergency Phone...... 800-387-7503



Section 02 - Composition / Information on Ingredients

Sodium Hypochlorite Ingredients..... 3.02-16.80%

CAS Number..... Sodium Hypochlorite 7681-52-9

Section 03 - Hazard Identification

pulmonary edema.



Skin Contact / Absorption............ Causes severe skin irritation with blistering and ulceration.

Eye Contact...... Causes severe irritation of the mucous membranes of the eyes. May

cause severe eye damage.

diarrhea, shock. May lead to convulsions, coma, and even death.

Exposure Limits...... ACGIH/TLV-TWA: 0.5ppm (chlorine)

Section 04 - First Aid Measures

stopped. If breathing is difficult, give oxygen. Seek immediate medical

attention.

Skin Contact / Absorption............ Remove contaminated clothing. Wash affected area with soap and

water. Seek medical attention if irritation occurs or persists.

Flush immediately with water for at least 20 minutes. Forcibly hold eyelids apart to ensure complete irrigation of eye tissue. Seek immediate

medical attention.

breathing in vomitus. Give large amounts of water. Do not give anything by mouth to an unconscious or convulsing person. Seek immediate

medical attention.

Additional Information...... Not available

Section 05 - Fire Fighting Measures

Conditions of Flammability...... Non-flammable

Means of Extinction...... Product does not burn. Use appropriate extinguishing media for material

that is supplying the fuel to the fire.

Flash Point...... Not applicable

Auto-ignition Temperature...... Not applicable

Upper Flammable Limit Not applicable



Lower Flammable Limit..... Not applicable

Hazardous Combustible Products... Decomposition may produce chlorine gas and/or hydrogen chloride gas.

Special Fire Fighting Procedures..... Wear NIOSH-approved self-contained breathing apparatus and

protective clothing.

Explosion Hazards...... Pressure buildup in containers could result in an explosion when heated

or in contact with acidic fumes. Vigorous reaction with oxidizable organic

materials may result in a fire.

Section 06 - Accidental Release Measures

complete. Prevent material from entering sewers, waterways or confined spaces. Soak up smaller spills with absorbent material that does not

react with spilled material. Flush with water to remove any residue.

Deactivating Materials...... Spills can be carefully neutralized first with sodium sulphite, sodium

metabisulphite or other dechlorination agent for no chlorine residual, then a pH adjustment may be required with hydrochloric acid until the pH is 7. Note neutralization reactions may produce heat so necessary precautions must be taken. Local regulatory agencies should also be contacted for

proper disposal.

Section 07 - Handling and Storage

Handling Procedures...... Use proper equipment for lifting and transporting all containers. Use

sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.

Storage Requirements...... Store in a cool, dry, well-ventilated place. Keep container tightly closed,

and away from incompatible materials. Venting of containers is advisable.

Section 08 - Personal Protection and Exposure Controls

Protective Equipment

all times when product is handled. Contact lenses should not be worn;

they may contribute to severe eye injury.

Respiratory...... A NIOSH-approved respirator suitable for chlorine is recommended.

Where a higher level of protection is required, use a self-contained

breathing apparatus.



before reuse.

Clothing...... Body suits, aprons, and/or coveralls of chemical resistant material should

be worn at all times. Wash contaminated clothing and dry thoroughly

before reuse.

Footwear...... Impervious boots of chemically resistant material should be worn at all

times.

Engineering Controls

Ventilation Requirements...... Mechanical ventilation (dilution or local exhaust), process or personnel

enclosure and control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust

systems..

Other..... Emergency shower and eyewash must be available and tested in

accordance with regulations and be in close proximity.

Section 09 - Physical and Chemical Properties

Physical State..... Liquid

Odor and Appearance...... Strong chlorine odour. Clear, greenish-yellow solution.

Odor Threshold...... Not available

Specific Gravity (Water=1)..... 1.17 at 20°C (12% trade)

Vapor Pressure (mm Hg, 20C).......... 12.1mm Hg at 20°C (12.5 wt %)

Vapor Density (Air=1)..... Not available

Evaporation Rate...... Not available

Freeze/Melting Point..... ~ -15°C (12% trade)

pH......< 12

Water/Oil Distribution Coefficient.... Not available

Bulk Density...... Not available



% Volatiles by Volume...... Not available

Solubility in Water..... Complete

Molecular Formula...... NaOCI

Molecular Weight...... 74.44

Section 10 - Stability and Reactivity

with acid.

Incompatibility....... Incompatible with strong acids, ammonia, oxidizable materials,

nickel, copper, tin, manganese, and iron.

Hazardous Products of Decomposition.. Chlorine (by reaction with acids), oxygen (by reaction with nickel,

copper, tin, manganese, iron), sodium chloride, sodium chlorate,

with increased temperature.

Polymerization...... Will not occur

Section 11 - Toxicological Information

Irritancy...... Strong irritant

nose, and throat.

Synergistic Materials..... Not available

Animal Toxicity Data...... LD50(oral,rat): 8910mg/kg (undiluted sodium hypochlorite)

Carcinogenicity...... Not considered to be carcinogenic (IARC and ACGIH).

Reproductive Toxicity...... Not available

Teratogenicity...... Not available

Mutagenicity...... Not available



Section 12 - Ecological Information

Fish Toxicity...... Not available

Biodegradability...... Not available

Environmental Effects...... Not available

Section 13 - Disposal Consideration

Waste Disposal............ Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Section 14 - Transport Information

TDG Classification

Shipping Name...... HYPOCHLORITE SOLUTION

Group...... III (not regulated at solutions below 7%)

PIN Number...... UN 1791(not regulated at solutions below 7%)

Other...... Secure containers (full and/or empty) with suitable hold down devises

during shipment and ensure all caps, valves, or closures are secured in

the closed position.

Section 15 - Regulatory Information

WHMIS Classification.....E

NOTE: THE PRODUCT LISTED ON THIS MSDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS MSDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

NSF Certification......Product is certified under NSF/ANSI Standard 60 for disinfection and oxidation at a maximum dosage for the following:

sodium hypochlorite 5%: 174mg/L sodium hypochlorite 6%: 145mg/L sodium hypochlorite 7%: 125mg/L sodium hypochlorite 8%: 109mg/L sodium hypochlorite 9%: 97mg/L sodium hypochlorite 10%: 87mg/L sodium hypochlorite 11%: 79mg/L sodium hypochlorite 12%: 72mg/L sodium hypochlorite 13%: 67mg/L



sodium hypochlorite 14%: 62mg/L sodium hypochlorite 15%: 58mg/L

sodium hypochlorite 16%: 55mg/L sodium hypochlorite 17%: 51mg/L sodium hypochlorite 18%: 48mg/L sodium hypochlorite 19%: 46mg/L sodium hypochlorite 20%: 43mg/L

NOTE: Any product strength below 7% is not regulated by TDG.

Sanitizer Use: to obtain 10 liters of a 200 mg/L solution as available chlorine, use 16.7 mL of Hypochlor-12 for each 10 liters of clean, potable water.

Section 16 - Other Information

Version #..... Two

Preparation Date...... September 5, 2012

Revision Date...... August 26, 2014

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

Attention: Receiver of the chemical goods / MSDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution[®] initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Material Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service or technical service department.



ClearTech Industries Inc. - Locations

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7 Phone: 800-387-7503

Fax: 888-281-8109

www.ClearTech.ca

Location	Address	Postal Code	Phone Number	Fax Number
Richmond, BC	12431 Horseshoe Way	V7A 4X6	800-387-7503	888-281-8109
Port Coquitlam BC	2023 Kingsway Avenue	V3C 1S9	800-387-7503	888-281-8109
Calgary, AB.	5516E - 40 th St. S.E.	T2C 2A1	800-387-7503	888-281-8109
Edmonton, AB.	11750 - 180 th Street	T5S 1N7	800-387-7503	888-281-8109
Saskatoon, SK.	North Corman Park	S7L 5Z3	800-387-7503	888-281-8109
Regina, SK.	555 Henderson Drive	S42 5X2	800-387-7503	888-281-8109
Winnipeg, MB.	340 Saulteaux Crescent	R3J 3T2	800-387-7503	888-281-8109
Mississauga, ON.	355 Admiral Blvd Unit #1	L5T 2N1	800-387-7503	888-281-8109

24 Hour Emergency Number - All Locations - 800-387-7503