

POLLARD WATER



EMCO
WATERWORKS

Pollard Hydrant Lifting Cage



Our improved Hydrant Lifting Cage is the strongest and easiest to use hydrant setter on the market. Maximum stability is achieved with the unique captive cage design - a Pollard exclusive. Fits Mueller, Matthews, Guardian or any other hydrant with a lip under the bonnet. Fits hydrant barrel dimensions from 7½" to 8¾". Other setters are available. Please call with your measurements.

Valve Box Top Lifter

Lifter for Slide Type Boxes



- Lift or Raise Slide Type Boxes
- Eliminates the use of some risers

TOP LIFTER OVERVIEW

Used to lift or raise Slide Type valve box Top Sections. Simply dig down under cover flange, 1/2 way around the top and slip lifter into place with a backhoe or winch. Pull top section up to required height



Search Pollardwater.com



Pollard Hydrant Wrench and Spanner



Our wrench has been adopted as the industry standard due to its unbreakable drop forged steel head.

It fits pentagon nuts, and caps up to 1-3/4", squares up to 1-1/4", and pin or rocker lug hose couplings with its unique double spanner.

The handle has been heat treated to add 30% more strength.

Pollard's Wrench and Spanner has been designed to ensure that the wrench lies flat on even the largest cap nuts and operating nuts.



Quantity Pricing Available for orders of 25 or more.

- Ask an Expert
- CHECK OUT
- Contact
- Find it for Me
- Flow Testing
- HOME
- How to Order
- HYDRANT INDEX
- Info Request
- Lifters
- Links
- Maintenance
- Marking Flags
- Out of Service
- Painting
- Pressure Testing
- Product Line Index
- Pumps
- Quote Request
- Repair Parts
- Sales Terms
- Security
- Setters
- Thawers
- What's New
- Wrenches

PURCHASE ADJUSTABLE SPANNER WRENCH

ITEM NUMBER	DESCRIPTION	PRICE
QTY ADD TO CART P66602	Combination Wrench and Spanner	\$21.49

Buy It ONLINE 24/SEVEN

[HOME](#) [Sales Terms](#) [Checkout](#) [Contact](#) [Products](#) [Request Info](#) [What's New](#)

In USA: 800-437-1146 Outside USA: 425-861-8755 Fax: 516-746-0852

Contact us via eMail at: info@pollardwater.com

200 Atlantic Avenue, New Hyde Park, New York 11040 © copyright 2010 Pollardwater.com

Enable cookies in your browser to order items in the Shopping Cart.

SHOPPING CART >

Line Items: 0
Total Items: 0
Sub Total: \$0.00

CURRENT SHOPPING CART STATUS

Applicable Tax and Freight Charge will be added to Final Invoice.



Search Pollardwater.com



Pollardwater.com

Hydrant Flow Gauge



[Gauge Care Guidelines](#)

- Applications
- Ask an Expert
- CHECK OUT
- Contact
- Dechlorination
- Digital
- Find it for Me
- FLOW TESTING
- High Volume
- Hose Nozzle
- HOME
- How to Order
- Info Request
- Links
- Low Volume
- Meters
- Pitots
- Pressure Relief
- Pressure Testing
- Product Line Index
- Pumper Nozzle
- Quote Request
- Sales Terms
- UL FM Listed
- What's New

SHOPPING CART >

Line Items: 0
 Total Items: 0
 Sub Total: \$0.00

CURRENT SHOPPING CART STATUS

Applicable Tax and Freight Charge will be added to Final Invoice.

The Hydrant Flow Gauge is pre-calibrated to measure water flow from 2½" hydrant nozzles in gallons per minute and pounds per square inch. It will fit any 2½" nozzle opening without the use of tools.

To operate, remove the 2½" hydrant nozzle cap. Clean the thread to remove grease or foreign matter. Open hydrant to flush any debris from the barrel. Shut down hydrant. Assemble on the top of the nozzle thread with the blade parallel to flow. Select a thread, then tighten thumb screw to securely hold assembly on nozzle. Open hydrant fully. Purge the air from the bleeder by turning counterclockwise. After water flows from bleeder, retighten. Read pressure in pounds on inner ring, gallons per minute from outer ring.

Note: Tube length and gauge face are sized for 2½" only; use on other diameters will cause inaccuracy. This unit performs a dynamic or kinetic test. This device should not be used for a static test (see [P670/P671](#) for static test).

Due to the sensitive nature of pressure gauges they are only warranted against defects in materials and workmanship, until they are put into service.

PURCHASE FLOW GAUGES

ITEM NUMBER	DESCRIPTION	PRICE
QTY ADD TO CART P669LF	Hydrant Flow Gauge Liquid Filled 100 Pound Gauge with Case	\$139.00
QTY ADD TO CART P66901LF	Hydrant Flow Gauge Liquid Filled 100 Pound Gauge Less Case	\$125.00

PURCHASE FLOW GAUGES REPLACEMENT PARTS

QTY ADD TO CART P66902	Case only for P669	\$29.90
QTY ADD TO CART P66903	Bracket	\$79.35
QTY ADD TO CART HYD100	4" Liquid Filled Gauge 100 psi	\$59.00
QTY ADD TO CART P66905	Thumb Screw	\$9.40



Search Pollardwater.com



Pollardwater.com

Fire Hydrant Gauge with Bleeder Valve



[Replacement Gauge](#)



[Gauge Care Guidelines](#)



[Order SUK01001 Carrying Case for P670 Series](#)

- Applications
- Ask an Expert
- CHECK OUT**
- Contact
- Dechlorination
- Digital
- Find it for Me
- FLOW TESTING**
- High Volume
- Hose Nozzle
- HOME**
- How to Order
- Info Request
- Links
- Low Volume
- Meters
- Pitots
- Pressure Relief
- Pressure Testing
- Product Line Index
- Pumper Nozzle
- Quote Request
- Sales Terms
- UL FM Listed
- What's New

SHOPPING CART >

Line Items: 0
 Total Items: 0
 Sub Total: \$0.00

CURRENT SHOPPING CART STATUS

Applicable Tax and Freight Charge will be added to Final Invoice.

This cap and gauge measures pressure at the 2½" hydrant connection. The chromed brass cap is available with NST, NYC or special thread (Note: for special thread we ask that you send a sample male hose nozzle to match your specification exactly).

Due to the sensitive nature of pressure gauges gauges are only warranted against defects in materials and workmanship, until they are put into service.

Note: This version of the Hydrant Gauge will not fit in the pressure testing case.

Standard FHG:

A favorite! Chrome handles make quick work of taking the unit on and off hydrants and no special tools are required.

Bleeder FHG:

A bleeder valve has been added allowing the user to vent air and water from the hydrant before taking readings. High quality model features a 1% 3.5" Liquid Filled Gauge.

Economy FHG:

This inexpensive FHG features a bleeder valve and standard hydrant adapter. Make your own Fire Hydrant Gauge? Use what you have and we will supply the rest!

PURCHASE HYDRANT GAUGES

ITEM NUMBER	DESCRIPTION	PRICE
FIRE HYDRANT GAUGE WITH BLEEDER VALVE AND LIQUID FILLED GAUGE		
QTY ADD TO CART P67020LF	FHG with Bleeder - NST - Liquid - 60 max psi	\$95.95
QTY ADD TO CART P67021LF	FHG with Bleeder - NST - Liquid - 100 max psi	\$95.95
QTY ADD TO CART P67022LF	FHG with Bleeder - NST - Liquid - 160 max psi	\$95.95
QTY ADD TO CART P67023LF	FHG with Bleeder - NST - Liquid - 200 max psi	\$95.95
QTY ADD TO CART P67024LF	FHG with Bleeder - NST - Liquid - 300 max psi	\$95.95

ECONOMY FIRE HYDRANT GAUGE WITH BLEEDER VALVE

QTY	ADD TO CART	P67021ECON	Economy FHG with Bleeder - NST - Liquid - 100 max psi	\$57.95
QTY	ADD TO CART	P67022ECON	Economy FHG with Bleeder - NST - Liquid - 160 max psi	\$57.95
QTY	ADD TO CART	P67023ECON	Economy FHG with Bleeder - NST - Liquid - 200 max psi	\$57.95

PURCHASE REPLACEMENT PARTS

QTY	ADD TO CART	P67021EZ	Econ F.H.G 2.5" - NST - Liquid - 100 max psi	\$49.95
QTY	ADD TO CART	P67022EZ	Econ F.H.G 2.5" - NST - Liquid - 160 max psi	\$49.95
QTY	ADD TO CART	P67023EZ	Econ F.H.G 2.5" - NST - Liquid - 200 max psi	\$49.95

PURCHASE REPLACEMENT PARTS

QTY	ADD TO CART	P67006	Bracket only NST with washer	\$62.35
QTY	ADD TO CART	P67007	Bracket only NYC with washer	\$77.50

PURCHASE CASE

QTY	ADD TO CART	SUK00283	Case 8.5"L x 6"W x 3.7"D - Pick n Pluck Foam	\$40.00
QTY	ADD TO CART	SUK01001	Case 13.4"L x 8.9"W x 5.6"D - Pick n Pluck Foam	\$98.50

BuyIt *ONLINE* 24/SEVEN

[HOME](#) [Sales Terms](#) [Checkout](#) [Contact](#) [Products](#) [Request Info](#) [What's New](#)

In USA: 800-437-1146 Outside USA: 425-861-8755 Fax: 516-746-0852

Contact us via eMail at: info@pollardwater.com

200 Atlantic Avenue, New Hyde Park, New York 11040 © copyright 2010 Pollardwater.com

Enable cookies in your browser to order items in the Shopping Cart.



Search Pollardwater.com



Pollardwater.com

Little Gulp Hydrant Pump

© Pollardwater.com



- East to Use
- Works off a Cigarette Lighter
- Pumps out Hydrant at 4.75 GPM
- Built-in Strainer Element

LITTLE GULP OVERVIEW

This pump is super easy to use - just put the pump into the hydrant and plug it into your truck's cigarette lighter! The Little Gulp has 10 feet of hose and it will pump at 4.75 GPM at 42 feet of maximum head.

PURCHASE LITTLE GULP

ITEM NUMBER	DESCRIPTION	PRICE
QTY ADD TO CART LITTLEGULP	Little Gulp Hydrant Pump	\$169.00

Buy It ONLINE 24/SEVEN

[HOME](#) [Sales Terms](#) [Checkout](#) [Contact](#) [Products](#) [Request Info](#) [What's New](#)

In USA: 800-437-1146 Outside USA: 425-861-8755 Fax: 516-746-0852

Contact us via eMail at: info@pollardwater.com

200 Atlantic Avenue, New Hyde Park, New York 11040 © copyright 2010 Pollardwater.com

Enable cookies in your browser to order items in the Shopping Cart.

- Ask an Expert
- CHECK OUT
- Contact
- Find it for Me
- Flow Testing
- HOME
- How to Order
- HYDRANT INDEX
- Info Request
- Lifters
- Links
- Maintenance
- Marking Flags
- Out of Service
- Painting
- Pressure Testing
- Product Line Index
- Pumps
- Quote Request
- Repair Parts
- Sales Terms
- Security
- Setters
- Thawers
- What's New
- Wrenches

SHOPPING CART >

Line Items: 0
 Total Items: 0
 Sub Total: \$0.00

CURRENT SHOPPING CART STATUS

Applicable Tax and Freight Charge will be added to Final Invoice.



Search Pollardwater.com



Pollard Valve Tong

- Ask an Expert
- CHECK OUT
- Contact
- Find it for Me
- HOME
- How to Order
- Info Request
- Links
- Product Line Index
- Quote Request
- Sales Terms
- VALVE INDEX
- What's New
- SHOPPING CART >**



- [Pollard Universal Valve Tong](#)
- [Adjustable Valve Sling](#)



This very simple tool will hold a gate valve straight and steady during installation. One size fits up to a 12" gate. Improved design fits most gate valves even the tough ones.

PURCHASE VALVE TONG

Line Items: 0
 Total Items: 0
 Sub Total: \$0.00

CURRENT SHOPPING CART STATUS

Applicable Tax and Freight Charge will be added to Final Invoice.

ITEM NUMBER	DESCRIPTION	PRICE
QTY ADD TO CART P572	Pollard Valve Tong	\$46.50

Buy It ONLINE 24/SEVEN

[HOME](#) [Sales Terms](#) [Checkout](#) [Contact](#) [Products](#) [Request Info](#) [What's New](#)

In USA: 800-437-1146 Outside USA: 425-861-8755 Fax: 516-746-0852

Contact us via eMail at: info@pollardwater.com

200 Atlantic Avenue, New Hyde Park, New York 11040 © copyright 2010 Pollardwater.com

Enable cookies in your browser to order items in the Shopping Cart.



Search Pollardwater.com

GO

Pollardwater.com

House Inspection Pressure Tester (GPM and PSI)



- Test for both PSI and GPM at a resident with 1 unit
- Fits on standard hose outlet

With this comprehensive water gauge you can conduct a complete water analysis of both water pressure to 160 psi and water flow to 13 gallons per minute. Water flow and water pressure are each controlled by a 3/4" brass gate valve. Fits on a standard garden hose outlet.

PURCHASE PRESSURE TESTERS

ITEM NUMBER	DESCRIPTION	PRICE
P671690	House Pressure/Flow Gauge Tester	\$81.85

QTY [ADD TO CART](#) P671690

Buy It ONLINE 24/SEVEN

[HOME](#) [Sales Terms](#) [Checkout](#) [Contact](#) [Products](#) [Request Info](#) [What's New](#)

In USA: 800-437-1146 Outside USA: 425-861-8755 Fax: 516-746-0852

Contact us via eMail at: info@pollardwater.com

200 Atlantic Avenue, New Hyde Park, New York 11040 © copyright 2010 Pollardwater.com

Enable cookies in your browser to order items in the Shopping Cart.

Applications
Ask an Expert
CHECK OUT
Contact
Dechlorination
Digital
Find it for Me
FLOW TESTING
High Volume
Hose Nozzle
HOME
How to Order
Info Request
Links
Low Volume
Meters
Pitots
Pressure Relief
Pressure Testing
Product Line Index
Pumper Nozzle
Quote Request
Sales Terms
UL FM Listed
What's New

SHOPPING CART >

Line Items: 0
Total Items: 0
Sub Total: \$0.00

CURRENT SHOPPING CART STATUS

Applicable Tax and Freight
Charge will be added to
Final Invoice.



Search Pollardwater.com



Pollardwater.com

Aqua Stop Curb Stop Replacement Tool

Change leaking or defective Curb Stops under pressure!

- Ask an Expert
- CHECK OUT
- Contact
- Find it for Me
- HOME
- How to Order
- Info Request
- Links
- Product Line Index
- Quote Request
- Sales Terms
- SERVICELINE
- What's New
- SHOPPING CART >**

Line Items: 0
 Total Items: 0
 Sub Total: \$0.00

CURRENT SHOPPING CART STATUS

Applicable Tax and Freight Charge will be added to Final Invoice.



- For 3/4" Curb Stops complete with Iron Pipe Thread (IPS) Outlet and Flare Type Copper Tube (CTS) Outlet
- You can use Pollard's P64602 Adapter Kit for 1" Full Port (round port only) Curb Valves
- Flare the Service Line under pressure with the Hollow Hammer Kit and the Aqua Stop


- [Hollow Hammer Kit](#)
- [Parts Breakdown](#)



HOLLOW HAMMER

Lets you replace old or leaky curb stops under full pressure with only one hole to dig and no water or mud build up...in just six easy steps:

HOW TO USE THE AQUA STOP



[CLICK FOR ENLARGEMENT](#)

Step 1: Insert the Aqua Stop in the outlet side of the curb stop.

Step 2: Push the plunger through the open curb stop. Turn the hand wheel on the Aqua-Stop, and all flow through the line is stopped.

Step 3: Remove the body of the Aqua-Stop.

Step 4: Remove the curb stop. The Aqua-Stop will hold the full line pressure as long as necessary.

Step 5: Replace the curb stop, replace the Aqua-Stop body, turn the hand wheel and withdraw the plunger.

Step 6: Turn off the new curb stop, remove the Aqua-Stop and the job is complete.

PURCHASE AQUA STOP

ITEM NUMBER	DESCRIPTION	PRICE
QTY ADD TO CART P645	Aqua Stop for 3/4" curb stops.	\$119.00
QTY ADD TO CART P64602	Rubber and adapter kit for 1"	\$65.00

BuyItONLINE 24/SEVEN

[HOME](#) [Sales Terms](#) [Checkout](#) [Contact](#) [Products](#) [Request Info](#) [What's New](#)

In USA: **800-437-1146** Outside USA: **425-861-8755** Fax: **516-746-0852**

Contact us via eMail at: info@pollardwater.com

200 Atlantic Avenue, New Hyde Park, New York 11040 © copyright 2010 Pollardwater.com

Enable cookies in your browser to order items in the Shopping Cart.